

Veids: starptautisks dokuments

Pieņemts: 11.11.1998.

Publicēts: Latvijas Vēstnesis, 92/95, 24.03.1999.

Stājas spēkā: 03.02.2000.

# Protocol Of 1988 Relating To The International Convention For The Safety Of Life At Sea, 1974

THE PARTIES TO THE PRESENT PROTOCOL.

BEING PARTIES to the International Convention for the Safety of Life at Sea, done at London on 1 November 1974,

RECOGNIZING the need for the introduction into the above-mentioned Convention of provisions for survey and certification harmonized with corresponding provisions in other international instruments,

CONSIDERING that this need may best be met by the conclusion of Protocol Relating to the International Convention for the Safety of Life at Sea, 1974,

HAVE AGREED as follows:

#### Article I. General obligations

- 1. The Parties to the present Protocol undertake to give effect to the present Protocol and the Annex hereto, which shall constitute an integral part of the present Protocol. Every reference to the present Protocol constitutes at the same time a reference to the Annex hereto.
- 2. As between the Parties to the present Protocol, the provisions of the International Convention for the Safety of Life at Sea, 1974, as amended, (hereinafter referred to as "the Convention") shall apply subject to the modifications and additions set out in the present Protocol.
- 3. With respect to ships entitled to fly the flag of a State which is not a Party to the Convention and the present Protocol, the Parties to the present Protocol shall apply the requirements of the Convention and the present Protocol as may be necessary to ensure that no more favorable treatment is given to such ships.

#### Article II. Prior treaties

- 1. As between the Parties to the present protocol, the present Protocol replaces and abrogates the Protocol of 1978 relating to the Convention.
- 2. Notwithstanding any other provisions of the present Protocol, any certificate issued under, and in accordance with, the provisions of the Convention and any supplement to such certificate issued under, and in accordance with, the provisions of the Protocol of 1978 relating to the Convention which is current when the present Protocol enters into force in respect of the Party by which the certificate or supplement was issued, shall remain valid until it expires under the terms of the Convention or the Protocol of 1978 relating to the Convention, as the case may be.
  - 3. A Party to the present Protocol shall not issue certificates under, and in accordance with, the provisions of the International Convention for the Safety of Life at Sea, 1974, as adopted on 1 November 1974.

#### Article III. Communication of information

The Parties to the present Protocol undertake to communicate to, and deposit with, the Secretary-General of the International Maritime Organization (hereinafter referred to as "the Organization"):

- (a) the text of laws, decrees, orders and regulations and other instruments which have been promulgated on the various matters within the scope of the present Protocol;
- (b) a list of nominated surveyors or recognized organizations which are authorized to act on their behalf in the administration of measures for safety of life at sea for circulation to the Parties for information of their officers, and a notification of the specific responsibilities and conditions of the authority delegated to those nominated surveyors or recognized organizations; and
  - (c) a sufficient number of specimens of their certificates issued under the provision of the present Protocol.

#### Article IV. Signature, ratification, acceptance, approval and accession

- 1. The present Protocol shall be open for signature at the Headquarters
- of the Organization from 1 March 1989 to 28 February 1990 and shall thereafter remain open for accession. Subject to the provisions of paragraph 3, States may express their consent to be bound by the present Protocol by:
- (a) signature without reservation as to ratification, acceptance or approval; or
- (b) signature subject to ratification, acceptance or approval, followed by ratification, acceptance or approval; or

- (c) accession.
- 2. Ratification, acceptance, approval or accession shall be effected by the deposit of an instrument to that effect with the Secretary-General of the Organization.
- 3. The present Protocol may be signed without reservation, ratified, accepted, approved or acceded to only by States which have signed without reservation, ratified, accepted, approved or acceded to the Convention.

#### Article V. Entry into force

- 1. The present Protocol shall enter into force twelve months after the date on which both the following conditions have been met:
- (a) not less than fifteen States, the combined merchant fleets of which constitute not less than fifty per cent of the gross tonnage of the world's merchant shipping, have expressed their consent to be bound by it in accordance with article IV, and
- (b) the conditions for the entry into force of the Protocol of 1988 relating to the International Convention on Load Lines, 1966, have been met, provided that the present Protocol shall not enter into force before 1 February 1992.
- 2. For States which have deposited an instrument of ratification, acceptance, approval or acceptance,
  - 3. Any instrument of ratification, acceptance, approval or accession deposited after the date on which the present Protocol enters into force shall take effect three months after the date of deposit.
  - 4. After the date on which an amendment to the present Protocol is deemed to have been accepted under article VI, any instrument of ratification, acceptance, approval or accession deposited shall apply to the present Protocol as amended.

#### Article VI. Amendments

The procedures set out in article VIII of the Convention shall apply to amendments to the present Protocol, provided that:

- (a) references in that article to the Convention and to Contracting Governments shall be taken to mean references to the present Protocol and to the Parties to the present Protocol respectively:
- (b) amendments to the articles of the present Protocol and to the Annex thereto shall be adopted and brought into force in accordance with the procedure applicable to amendments to the articles of the Convention or the Chapter I of the Annex thereto; and
- (c) amendments to the appendix to the Annex to the Protocol may be adopted an brought into force in accordance with the procedure applicable to amendments to the Annex to the Convention other than Chapter I.

## Article VII. Denunciation

- 1. The present Protocol may be denounced by any Party at any time after the expiry of five years from the date on which the present Protocol enters into force for that Party.
- 2. Denunciation shall be effected by the deposit of an instrument of denunciation with the Secretary-General of the Organization.
- 3. A denunciation shall take effect one year, or such longer period as may be specified in the instrument of denunciation, after its receipt by the Secretary-General of the Organization.
- 4. A denunciation of the Convention by a Party shall be deemed to be a denunciation of the present Protocol by that Party. Such denunciation shall take effect on the same day as denunciation of the Convention takes effect according to paragraph (c) of article XI of the Convention.

#### Article VIII. Depositary

- 1. The present Protocol shall be deposited with the Secretary-General of the Organization (hereinafter referred to as "the depositary").
- 2. The depositary shall:
- (a) inform the Governments of all States which have signed the present Protocol or acceded thereto of:
- (i) each new signature or deposit of an instrument of ratification, acceptance, approval or accession, together with the date thereof;
- (ii) the date of entry into force of the present Protocol;
- (iii) the deposit of any instrument of denunciation of the present Protocol together with the date on which it was received and the date on which the denunciation takes effect;
- (b) transmit certified true copies of the present Protocol to the Governments of all States which have signed the present Protocol or acceded thereto.
- 3. As soon as the present Protocol enters into force, a certified true copy thereof shall be transmitted by the depositary to the Secretariat of the United Nations for registration and publication in accordance with Article 102 of the Charter of the United Nations.

### Article IX. Languages

The present Protocol is established in a single original in the Arabic, Chinese, English, French, Russian and Spanish languages, each text being equally authentic. An official translation into the Italian language shall be prepared and deposited with the signed original.

DONE AT LONDON this eleventh day of November one thousand nine hundred and eighty-eight.

IN WITNESS WHEREOF the undersigned\*, being duly authorized by their respective Governments for that purpose, have signed the present Protocol.

# Modifications And Additions To The Annex To The International Convention For The Safety Of Life Sea, 1974

Chapter 1. GENERAL PROVISIONS

Part A - APPLICATION. DEFINITIONS. ETC.

### Regulation 2. Definitions

The existing text of paragraph (k) is replaced by the following:

"(k) New ship means a ship the keel of which is laid or which

is at a similar stage of construction on or after 25 May 1980"

The following paragraph is added to the existing text:

"(n) Anniversary date means the day and the month of each year which will correspond to the date of expiry of the relevant certificate."

#### Part B - SURVEYS AND CERTIFICATES

#### Regulation 6. Inspection and survey

The existing text is replaced by the following:

- "(a) The inspection and survey of ships, so far as regards the enforcement of the provisions of the present regulations and the granting of exemptions therefrom, shall be carried out by officers of the Administration. The Administration may, however, entrust the inspections and surveys either to surveyors nominated for the purpose or to organizations recognized by it.
  - (b) An Administration nominating surveyors or recognizing organizations to conduct inspections and surveys as set forth in paragraph (a) shall as a minimum empower any nominated or recognized organization to:
  - (i) require repairs to a ship;
  - (ii) carry out inspections and surveys if requested by the appropriate authorities of a port State.

The Administration shall notify the Organization of the specific responsibilities and conditions of the authority delegated to nominated surveyors or recognized organizations.

- (c) When a nominated surveyor or recognized organization determines that the condition of the ship or its equipment does not correspond substantially with the particulars of the certificate or is such that the ship is not fit to proceed to sea without danger to the ship, or persons on board, such surveyor or organization shall immediately ensure that corrective action is taken and shall in due course notify the Administration. If such corrective action is not taken the relevant certificate should be withdrawn and the Administration shall be notified immediately; and, if the ship is in the port of another Party, the appropriate, authorities of the port State shall also be notified immediately. When an officer of the Administration, a nominated surveyor or arganization has notified the appropriate authorities of the port State, the Government of the port State, the Government of the port State oncerned shall ensure that the ship shall not sail until it can proceed to sea, or leave port for the purpose of proceeding to the appropriate repair yard, without danger to the ship or persons on board.
  - (d) In every case, the Administration shall fully guarantee the completeness and efficiency of the inspection and survey, and shall undertake to ensure the necessary arrangements to satisfy this obligation."

### Regulation 7. Surveys of passenger ships

The existing text is replaced by the following:

- "(a) A passenger ship shall be subjected to the surveys specified below:
- (i) an initial survey before the ship is put in service;
- (ii) a renewal survey once every 12 months, except where regulation 14(b), (e), (f) and (q) is applicable;
- (iii) additional surveys, as occasion arises.
- (b) The surveys referred to above shall be carried out as follows:
- (i) the initial survey shall include a complete inspection of the ship's structures machinery and equipment, including the outside of the ship's bottom and the inside and outside of the boilers. This surveys shall be such as to ensure that the arrangements, materials and scantlings of the structure, boilers and other pressure vessels and their appurtenances, main and auxiliary machinery, electrical installation, radio installations including those used in life-saving appliances, fire protection, fire safety systems and appliances, life-saving appliances and arrangements, shipbome navigational equipment, nautical publications, means of embarkation for pilots and other equipment fully comply with the requirements of the present regulations, and of the laws, decrees, orders and regulations promulgated as a result thereof by the Administration for ships of the service for which it is intended. The survey shall also be such as to ensure that the workmanship of all parts of the ship and its equipment is in provided with the lights, shapes, means of making sound signals and distress signals as required by the provisions of the present regulations and the International Regulations for Preventing Collisions at Sea in force;
- (ii) the renewal survey shall include an inspection of the structure, boilers and other pressure vessels, machinery and equipment, including the outside of the ship's bottom. The survey shall be such as to ensure that the ship, as regards the structure, boilers and other pressure vessels and their appurtenances, main and auxiliary machinery, electrical installation, radio installations including those used in life-saving appliances, fire protection, fire safety systems and appliances, life-saving appliances and arrangements, shipbome navigational equipment, nautical publications, means of embarkation for pilots and other equipment is in satisfactory condition and is fit for the service for which it is intended, and that it complies with the requirements of the present

regulations and of the laws, decrees' orders and regulations promulgated as a result thereof by the Administration. The lights, shapes, means of making sound signals and distress signals carried by the ship shall also be subject to the above-mentioned survey for the purpose of ensuring that they comply with the requirements of the present regulations and of the International Regulations for Preventing Collisions at Sea in force,

- (iii) an additional survey either general or partial, according to the circumstances, shall be made after a repair resulting from investigations prescribed in regulation 11, or whenever any important repairs or renewals are made. The surveys shall be such as to ensure that the necessary repairs or renewals have been effectively made, that the material and workmanship of such repairs or renewals are in all respects satisfactory, and that the ship complies in all respects with the provisions of the present regulations and of the International Regulations for Preventing Collisions at Sea in force, and of the laws, decrees, orders and regulations promulgated as a result thereof by the Administration;
  - (c) (i) the laws, decrees, orders and regulations referred to in paragraph (b) of this regulation shall be in all respects such as to ensure that, from the point of view of safety of life, the ship is fit for the service for which it is intended;
- (ii) they shall among other things prescribe the requirements to be observed as to the initial and subsequent hydraulic or other acceptable alternative tests to which the main and auxiliary boilers, connections, steam pipes, high pressure receivers and fuel tanks for internal combustion engines are to be submitted including the test procedures to be followed and the intervals between two consecutive tests."

## Regulation 8. Surveys of life-saving appliances and other equipment of cargo ships

The existing text is replaced by the following:

- "(a) The life-saving appliances and other equipment of cargo ships of 500 tons gross tonnage and upwards as referred to in paragraph (b) (i) shall be subject to the surveys specified below:
- (i) an initial survey before the ship is put in service;
- (ii) a renewal survey at intervals specified by the Administration but not exceeding five years, except where regulation 14(b), (e), (f) and (g) is applicable;
- (iii) a periodical survey within three months before or after the second anniversary date or within three months before or after the third anniversary date of the Cargo Ship Safety Equipment Certificate which shall take the place of one of annual surveys specified in paragraph (a) (iv);
- (iv) an annual survey within 3 months before or after each anniversary date of the Cargo Ship Safety Equipment Certificate;
- (v) an additional survey as prescribed for passenger ships in regulation 7(b)(iii).
- (b) The surveys referred to in paragraph (a) shall be carried out as follows:
- (i) the initial survey shall include a complete inspection of the fire safety systems and appliances, life-saving appliances and arrangements except radio installations, the shipborne navigational equipment, means of embarkation for pilots and other equipment to which chapters II-1, II-2, III and V apply to ensure that they comply with the requirements of the present regulations, are in satisfactory condition and are fit for the service for which the ship is intended. The fire control plans, nautical publications, lights, shapes, means of making sound signals and distress signals shall also be subject to the above-mentioned survey for the purpose of ensuring that they comply with the requirements of the present regulations and, where applicable, the International Regulations for Preventing Collisions at Sea in force:
- (ii) the renewal and periodical surveys shall include an inspection of the equipment referred to in paragraph (b)(i) to ensure that it complies with the relevant requirements of the present regulations and the International Regulations for Preventing Collisions at Sea in force, is in satisfactory condition and is fit for the service for which the ship is intended;
  - (iii) the annual survey shall include a general inspection of the equipment referred to in paragraph (b)(i) to ensure that it has been maintained in accordance with regulation 11(a) and that it remains satisfactory for the service for which the ship is intended.
  - (c) The periodical and annual surveys referred to in paragraphs (a) (iii) and (a)(iv) shall be endorsed on the Cargo Ship Safety Equipment Certificate."

#### Regulation 9. Surveys of radio and radar installations of cargo ships

The existing heading is replaced by the following:

"Surveys of radio installations of cargo ships"

The existing text is replaced by the following:

- "(a) The radio installations, including those used in life-saving appliances, of cargo ships to which chapters III and IV apply shall be subject to the surveys specified below:
- (i) an initial survey before the ship is put in service;
- (ii) a renewal survey at intervals specified by the Administration but not exceeding five years, except where regulation 14 (b), (e), (f) and (g) is applicable;
- (iii) a periodical survey within three months before or after each anniversary date of the Cargo Ship Safety Radio Certificate:
- (iv) an additional survey as prescribed for passenger ships in regulation 7(b)(iii).
- (b) The surveys referred to in paragraph (a) shall be carried out as follows:
- (i) the initial survey shall include a complete inspection of the radio installations of cargo ships, including those used in life-saving appliances, to ensure that they comply with the requirements of the present regulations;
- (ii) the renewal and periodical surveys shall include an inspection of the radio installations of cargo ships, including those used in life-saving appliances, to ensure that they comply with the requirements of the present regulations.

(c) The periodical surveys referred to in paragraph (a) (iii) shall be endorsed on the Cargo Ship Safety Radio Certificate."

#### Regulation 10. Surveys of hull, machinery and equipment of cargo ships

The existing heading is replaced by the following:

"Surveys of structure ,machinery equipment of cargo ships"

The existing text is replaced by the:

- "(a) The structure, machinery and equipment (other than items in respect of which a Cargo Ship Safety Equipment Certificate and a Cargo Ship Safety Radio Certificate are issued) of a cargo ship as referred to in paragraph (b)(i) shall be subject to the surveys and inspections specified below:
  - (i) an initial survey including an inspection of the outside of the ship's bottom before the ship is put in service;
  - (ii) a renewal survey at intervals specified by the Administration but not exceeding 5 years, except where regulation 14(b), (e), (f) and (g) is applicable;
- (iii) an intermediate survey within three months before or after the second anniversary date or within three months before or after the third anniversary date of the Cargo Ship Safety Construction Certificate, which shall take the place of one of the annual surveys specified in paragraph (a),
  - (iv) an annual survey within 3 months before or after each anniversary date of the Cargo Ship Safety Construction Certificate;
- (v) a minimum of two inspections of the outside of the ship's bottom during any five year period, except where regulation 14(e) or (f) is applicable. Where regulation 14(e) or (f) is applicable, this five year period may be extended to coincide with the extended period of validity of the certificate. In all cases the interval between any two such inspections shall not exceed 36 months:
  - (vi) an additional survey as prescribed for passenger ships in regulation 7(b)(iii).
  - (b) The surveys and inspections referred to in paragraph (a) shall be carried out as follows:
- (i) the initial survey shall include a complete inspection of the structure, machinery and equipment. This survey shall be such as to ensure that the arrangements, materials, scantlings and workmanship of the structure, boilers and other pressure vessels, their appurtenances, main and auxiliary machinery including steering gear and associated control systems, electrical installation and other equipment comply with the requirements of the present regulations, are in satisfactory condition and are fit for the service for which the ship is intended and that the required stability information is provided. In the case of tankers such a survey shall also include an inspection of the pump-rooms, cargo, bunker and ventilation piping systems and associated safety devices,
- (ii) the renewal survey shall include an inspection of the structure, machinery and equipment as referred to in paragraph (b)(i) to ensure that they comply with the requirements of the present regulations, are in satisfactory condition and are fit for the service for which the ship is intended:
- (iii) the intermediate survey shall include an inspection of the structure, boilers and other pressure vessels, machinery and equipment, the steering gear and the associated control systems and electrical installations to ensure that they remain satisfactory for the service for which the ship is intended. In the case of tankers, the survey shall also include an inspection of the pump-rooms, cargo, bunker and ventilation pipingsystems and associated safety devices and the testing of insulation resistance of electrical installations in dangerous zones:
- (iv) the annual survey shall include a general inspection of the structure, machinery and equipment referred to in paragraph (b)(i), to ensure that they have been maintained in accordance with regulation 11(a) and that they remain satisfactory for the service for which the ship is intended.
  - (v) the inspection of the outside of the ship's bottom and the survey of related items inspected at the same time shall be such as to ensure that they remain satisfactory for the service for which the ship is intended.
  - (c) The intermediate and annual surveys and the inspections of the outside of the ship's bottom referred to in paragraphs (a)(iv) and (a)(v) shall be endorsed on the Cargo Ship Safety Construction Certificate."

#### Regulation 11. Maintenance of conditions after survey

The existing text is replaced by the following:

- "a) The condition of the ship and its equipment shall be maintained to conform with the provisions of the present regulations to ensure that the ship in all respects will remain fit to proceed to sea without danger to the ship or persons on board.
- (b) After any survey of the ship under regulations 7, 8, 9 or 10 has been completed, no change shall be made in the structural arrangements, machinery, equipment and other items covered by the survey, without the sanction of the Administration.
- (c) Whenever an accident occurs to a ship or a defect is discovered, either of which affects the safety of the ship or the efficiency or completeness of its lifesaving appliances or other equipment, the master or owner of the ship shall report at the earliest opportunity to the Administration, the nominated surveyor or recognized organization responsible for issuing the relevant certificate, who shall cause investigations to be initiated to determine whether a survey, as required by regulations 7, 8, 9 or 10, is necessary. If the ship is in a port of another Contracting Government, the master or owner shall also report immediately to the appropriate authorities of the port State and the nominated surveyor or recognized organization shall ascertain that such a report has been made."

#### Regulation 12. Issue of certificates

The existing heading is replaced by the following:

"Issue or endorsement of certificates" The existing text is replaced by the following:

- "(a)(i) a certificate called a passenger Ship Safety Certificate shall be issued after an initial or renewal survey to a passenger ship which complies with the relevant requirements of chapters, II-1, II-2, III, IV and V and any other relevant requirements of the present regulations:
- (ii) a certificate called a Cargo Ship Safety Construction Certificate shall be issued after an initial or renewal survey to a cargo ship which complies with the relevant requirements of chapters II-1 and II-2 (other than those relating to fire safety systems and appliances and fire control plans) and any other relevant requirements of the present regulations;
- (iii) a certificate called a Cargo Ship Safety Equipment Certificate shall be issued after an initial or renewal survey to a cargo ship which complies with the relevant requirements of chapters II-1, II-2, III and V and any other relevant requirements of the present regulations;
- (iv) a certificate called a Cargo Ship Safety Radio Certificate shall be issued after an initial or renewal survey to a cargo ship which complies with the relevant requirements of chapter IV and any other relevant requirements of the present requirements
- (v) (1) a certificate called a Cargo Ship Safety Certificate may be issued after an initial or renewal survey to a cargo ship which complies with the relevant requirements of chapters II-1, II-2, III, IV and V and any other relevant requirements of the present regulations, as an alternative to the certificates referred to in paragraph (a)(ii), (a)(iii) and (a)(iv);
- (2) whenever in this chapter reference is made to a Cargo Ship Safety Construction Certificate, Cargo Ship Safety Equipment Certificate or Cargo Ship Safety Radio Certificate, it shall apply to a Cargo Ship Safety Certificate, if it is used as an alternative to these certificates
- (vi) the passenger Ship Safety Certificate, the Cargo Ship Safety Equipment Certificate, the Cargo Ship Safety Radio Certificate and the Cargo Ship Safety Certificate, referred to in sub-paragraphs (i), (ii), (iii) and (v), shall be supplemented by a Record of Equipment;
  - (vii) when an exemption is granted to a ship under and in accordance with the provisions of the present regulations, a certificate called an Exemption Certificate shall be issued in addition to the certificate prescribed in this paragraph;
  - (viii) the certificates referred to in this regulation shall be issued or endorsed either by the Administration or by any person or organization authorized by it. In every case, that Administration assumes full responsibility for the certificates.
- (b) A Contracting Government shall not issue certificates under, and in accordance with, the provisions of the International Convention for the Safety of Life at Sea, 1960, 1948 or 1929, after the date on which acceptance of the present Convention by the Government takes effect."

#### Regulation 13. Issue of certificate by another Government

Tile existing heading is replaced by the following:

"Issue or endorsement of certificates by another Government"

The existing text is replaced by the following:

"A Contracting Government may, at the request of the Administration, cause a ship to be surveyed and, if satisfied that the requirements of the present regulations are complied with, shall issue or authorize the issue of certificates to the ship and, where appropriate, endorse or authorize the endorsement of certificates on the ship in accordance with the present regulations. Any certificate so issued shall contain a statement to the effect that it has been issued at the request of the Government of the State the flag of which the ship is entitled to fly, and it shall have the same force and receive the same recognition as a certificate issued under regulation 12."

#### Regulation 14. Duration of Certificates

The existing heading is replaced by the following:

"Duration at validity of certificates"

The existing text is replaced by the following:

- "(a) A Passenger Ship Safety Certificate shall be issued for a period not exceeding 12 months. A Cargo Ship Safety Construction Certificate, Cargo Ship Safety Equipment Certificate and Cargo Ship Safety Radio Certificate shall be issued for a period specified by the Administration which shall not exceed five years. An Exemption Certificate shall not be valid for longer than the period of the certificate to which it refers.
  - (b) (i) notwithstanding the requirements of paragraph (a), when the renewal survey is completed within three months before the expiry date of the existing certificate, the new certificate shall be valid from the date of completion of the renewal survey to:
  - (1) for a passenger ship, a date not exceeding 12 months from the date of expiry of the existing certificate;
  - (2) for a cargo ship, a date not exceeding five years from the date of expiry of the existing certificate;
  - (ii) when the renewal survey is completed after the expiry date of the existing certificate, the new certificate shall be valid from the date of completion of the renewal survey to:
  - (1) for a passenger ship, a date not exceeding 12 months from the date of expiry of the existing certificate;
  - (2) for a cargo ship, a date not exceeding five years from the date of expiry of the existing certificate:
- (iii) when the renewal survey is completed more than three months before the expiry date of the existing certificate, the new certificate shall be valid from the date of completion of the renewal survey to:
- (1) for a passenger ship, a date not exceeding 12 months from the date of completion of the renewal survey;

- (2) for a cargo ship, a date not exceeding five years from the date of completion of the renewal survey.
- (c) If a certificate other than a Passenger Ship Safety Certificate is issued for a period of less than five years, the Administration may extend the validity of the certificate beyond the expiry date to the maximum period specified in paragraph (a), provided that the surveys referred to in regulations 8, 9 and 10 applicable when a certificate is issued for a period of 5 years are carried out as appropriate.
- (d) If a renewal survey has been completed and a new certificate cannot be issued or placed on board the ship before the existing certificate, the person or organization authorized by the Administration may endorse the existing certificate and such a certificate shall be accepted as valid for a further period which shall not exceed 5 months from the expiry date.
- (e) If a ship at the time when a certificate expires is not in a port in which it is to be surveyed, the Administration may extend the period of validity of the certificate but this extension shall be granted only for the purpose of allowing the ship to complete its voyage to the port in which it is to be surveyed, and then only in cases where it appears proper and reasonable to do so. No certificate shall be extended for a period longer than three months, and a ship to which an extension is granted shall not, on its arrival in the port in which it is to be surveyed, be entitled by virtue of such extension to leave that port without having a new certificate. When the renewal survey is completed, the new certificate shall be valid to:
  - (i) for a passenger ship, a date not exceeding 12 months from the date of expiry of the existing certificate before the extension was granted;
  - (ii) for a cargo ship, a date not exceeding 5 years from the date of expiry of the existing certificate before the extension was granted.
- (f) A certificate issued to a ship engaged on short voyages which has not been extended under the foregoing provisions of this regulation may be extended by the Administration for a period of grace of up to one month from the date of expiry stated on it. When the renewal survey is completed, the new certificate shall be valid to:
  - (i) for a passenger ship, a date not exceeding 12 months from the date of expiry of the existing certificate before the extension was granted;
  - (ii) for a cargo ship, a date not exceeding 5 years from the date of expiry of the existing certificate before the extension was granted.
- (g) In special circumstances, as determined by the Administration, a new certificate need not be dated from the date of expiry of the existing certificate as required by paragraphs (b)(ii), (e) or (f). In these special circumstances, the new certificate shall be valid to:
  - (i) for a passenger ship, a date not exceeding 12 months from the date of completion of the renewal survey;
  - (ii) for a cargo ship, a date not exceeding five years from the date of completion of the renewal survey.
  - (h) If an annual, intermediate or periodical survey is completed before the period specified in the relevant regulations then:
  - (i) the anniversary date shown on the relevant certificate shall be amended by endorsement to a date which shall not be more than three months later than the date on which the survey was completed;
  - (ii) the subsequent annual, intermediate or periodical survey required by the relevant regulations shall be completed at the intervals prescribed by these regulations using the new anniversary date;
- (iii) the expiry date may remain unchanged provided one or more annual, intermediate or periodical surveys, as appropriate, are carried out so that the maximum intervals between the surveys prescribed by the relevant regulations are not exceeded.
- (i) A certificate issued under regulation 12 or 13 shall cease to be valid in any of the following cases:
- (i) if the relevant surveys and inspections are 9(a) and 10(a);
- (ii) if the certificate is not endorsed in accordance with the present regulations;
- (iii) upon transfer of the ship to the flag of another State. A new certificate shall only be issued when the Government issuing the new certificate is fully satisfied that the ship is in compliance with the requirements of regulation 11(a) and (b). In the case of a transfer between Contracting Governments if requested within three months after the transfer has taken place, the Government of the State whose flag the ship was formerly entitled to fly shall, as soon as possible, transmit to the Administration copies of the certificates carried by the ship before the transfer and, if available, copies of the relevant survey reports."

#### Regulation 15. Form of certificates

The existing heading is replaced by the following:

"Forms of certificates and records of equipment" The existing text is replaced by the following:

"The certificates and records of equipment shall be drawn up on the form corresponding to the models given in the appendix to the Annex to the present Convention. If the language used is neither English nor French, the text shall include a translation into one of these languages."

#### Regulation 16. Posting up of certificates

The existing heading is replaced by the following:

"Availability of certificates"

The existing text is replaced by the following:

"The certificates issued under regulations 12 and 13 shall be readily available on board for examination at all times."

## Regulation 19. Control

The existing text is replaced by the following:

- "(a) Every ship when in a port of another Contracting Government is subject to control by officers duly authorized by such Government in so far as this control is directed towards verifying that the certificates issued under regulation 12 or regulation 13 are valid.
- (b) Such certificates, if valid, shall be accepted unless there are clear grounds for believing that the condition of the ship or of its equipment does not correspond substantially with the particulars of any of the certificates or that the ship and its equipment are not in compliance with the provisions of regulation 11(a) and (b).
- (c) In the circumstances given in paragraph (b) or where a certificate has expired or ceased to be valid, the officer carrying out the control shall take steps to ensure that the ship shall not sail until it can proceed to sea or leave the port for the purpose of proceeding to the appropriate repair vard without danger to the ship or persons on board.
- (d) In the event of this control giving rise to an intervention of any kind, the officer carrying out the control shall forthwith inform, in writing, the Consul or, in his absence, the nearest diplomatic representative of the State whose flag the ship is entitled to fly of all the circumstances in which intervention was deemed necessary. In addition, nominated surveyors or recognized organizations responsible for the issue of the certificates shall also be notified. The facts concerning the intervention shall be reported to the Organization.
- (e) The port State authority concerned shall notify all relevant information about the ship to the authorities of the next port of call, in addition to parties mentioned in paragraph (d), if it is unable to take action as specified in paragraphs (c) and (d) or if the ship has been allowed to proceed to the next port of call.
- (f) When exercising control under this regulation all possible efforts shall be made to avoid a ship being unduly detained or delayed. If a ship is thereby unduly detained or delayed it shall be entitled to compensation for any loss or damage suffered."

Appendix

# Modifications and additions to the Appendix to the Annex to the International Convention for the Safety of Life at Sea, 1974

The existing forms of the Passenger Ship Safety Certificate, Cargo Ship Safety Construction Certificate, Cargo Ship Safety Equipment Certificate, Cargo Ship Safety Radiotelegraphy Certificate. Cargo Ship Safety Radiotelegraphy Certificate and Exemption Certificate Contained in the Appendix of tile Annex to tile Convention are replaced by the following forms of certificates and records of equipment.

FORM OF SAFETY CERTIFICATE FOR PASSENGER SHIPS

#### PASSENGER SHIP SAFETY CERTIFICATE

This Certificate shall be supplemented by a Record of Equipment (Form P)

·		
certified to operate (regulation IV/2)		
IMO Number <sup>3</sup>		
Date on which keel was laid or ship was at a similar stage of construction or, where approdification of a major character was commenced	olicable, date on which work for a conversion or an alteration or	
THIS IS TO CERTIFY:		
1. That the ship has been surveyed in accordance with the requirements of regulation 1	/7 of the Convention.	
2. That the survey showed that:		
2.1 the ship complied with the requirements of the Convention as regards:		
2.1.1 the structure, main and auxiliary machinery, boilers and other pressure vessels		
2.1.2 the watertight subdivision arrangements and details;		
2.1.3 the following subdivision load lines:		
Subdivision load lines assigned and marked on the ship's side at amidships (regulation II-1/13)	Freeboard	To apply when the spaces in which passengers are carried include the following alternativ spaces
C.1		
C.2		
C.3		
2.2 the ship complied with the requirements of the Convention as regards structural fire	protection, fire safety systems and appliances and fire control plans;	
2.3 the life-saving appliances and the equipment of the lifeboats, liferafts and rescue be	pats were provided in accordance with the requirements of the Convention;	
2.4 the ship was provided with a line-throwing appliance and radio installations used in	life-saving appliances in accordance with the requirements of the Convention	ν,
2.5 the ship complied with the requirements of the Convention as regards radio installat	tions;	
2.6 the functioning of the radio installations used in life-saving appliances complied with	n the requirements of the Convention;	
2.7 the ship complied with the requirements of the Convention as regards shipborne na	vigational equipment, means of embarkation for pilots and nautical publication	ons;
2.8 the ship was provided with lights, shapes, means of making sound signals and dist	ress signals in accordance with the requirements of the Convention and the	International Regulations for preventing Collisions at Sea in force;
2.9 in all other respects the ship complied with the relevant requirements of the Conver	ntion.	
3. That an Exemption Certificate has/has not <sup>4</sup> been issued.		
This certificate is valid until		
Issued at(Place of issue of cer	tificate)	
(Date of issue ) (Signature of authorized official issuing the certificate)		
	(Seal or stamp of the issuing authority, as appropriate)	
Endorsement where the renewal survey has been completed and regulation I/4(d)	applies	
The ship complies with the relevant requirements of the Convention, and this certificate	e shall, in accordance with regulation I/14(d) of the Convention, be accepted	as valid until
Signed:		
(Signature of authorized official)		
Place:		
Date:		

Endorsement to extend the validity of the certificate until reaching the port of survey or for a period of grace where regulation I/14(e) or I/14(f) applies
This certificate shall, in accordance with regulation I/14(e)/I/14(f) <sup>5</sup> of the Convention, be accepted as valid until
Signed:
(Signature of authorized official)
Place:
Date:
(Seal or stamp of the authority, as appropriate)
RECORD OF EQUIPMENT FOR THE PASSENGER SHIP SAFETY CERTIFICATE (FORM P)
This Record shall be permanently attached to the passenger Ship Safety Certificate
RECORD OF EQUIPMENT FOR COMPLIANCE WITH THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS MODIFIED BY THE PROTOCOL OF 1988 RELATING THERETO
1. Particulars of ship
Name of ship
Distinctive number or letters
Number of passengers for which certified
Minimum number of persons with required qualifications to operate the radio installations
2. Details of life-saving appliances
1. Total number of persons for which life -saving appliances are provided
Port Side Starboard side
2. Total number of lifeboats
2.1 Total number of persons accommodated by them
2.2 Number of partially enclosed lifeboats (regulation III/42)
2.3 Number of self-righting partially enclosed lifeboats (regulation III/43)
2.4 Number of totally enclosed lifeboats (regulation III/ 44)
2.5 Other lifeboats
2.5.1. Number
2.5.2. Type
3. Number of motor lifeboats (included in the total lifeboats shown above)
3.1 Number of lifeboats fitted with searchlights
4. Number of rescue boats
4.1 Number of boats which are included in the total lifeboats shown above
5. Liferafts
5.1 Those for which approved launching appliances are required
5.1.1 Number of liferafts
5.1.2 Number of persons accommodated by them

5.2 Those for which approved launching appliances are not required ......

5.2.1 Number of liferafts
5.2.2 Number of persons accommodated by them
6. Buoyant apparatus
6.1 Number of apparatus
6.2 Number of persons capable of being supported
7. Number of lifebuoys
8. Number of lifejackets
9. Immersion suits
9.1 Total number
9.2 Number of suits complying with the requirements for lifejackets
10. Number of thermal protective aids6
11. Radio installations used in life-saving appliances
11.1 Number of radar transponders
11.2 Number of two-way VHF radiotelephone apparatus
3. Details of radio facilities
Items Actual provision
1. Primary systems
1.1 VHF radio installation
1.1.1 DSC encoder
1.1.2 DSC watch receiver
1.1.3 Radiotelephony
1.2 MF radio installation
1.2.1 DSC encoder
1.2.2 DSC watch receiver
1.2.3 Radiotelephony
1.3 MF/HF radio installation
1.3.1 DSC encoder
1.3.2 DSC watch receiver
1.3.3 Radiotelephony
1.4 INMARSAT ship earth station
2. Secondary means of alerting
3. Facilities for reception of maritime safety information
3.1 NAVTEX receiver
3.2 EGC receiver
3.3 HF direct-printig radiotelegraph receiver
4. Satellite EPIRB

4.1 COSPAS-SARSAT
4.2 INMARSAT
5. VHF EPIRB
6. Ship's radar treasponder
7. Radiotelephone distress frequency watch receiver on 2,182 kHz <sup>7</sup>
8. Device for generating the radiotelephone alarm signal on 2,182 kHz <sup>8</sup>
4. Methods used to ensure availability of radio facilities (regulations IV/15.6 and 15.7)
4.1 Duplication of equipment
4.2 Shore-based maintenance
4.3 At-sea maintenance capability
5. Ships constructed before February 1995 which do not comply with all the applicable requirements of chapter IV of the Convention as amended in 1988
Requirements of regulations Actual provision
Hours of listening by operator
Number of operators
Whether auto alarm fitted
Whether main installation fitted
Whether reserve installation fitted
Whether main and reserve transmitters electrically separated or combined
6. Ships constructed before 1 February 1992 which do not fully comply with the applicable requirements of chapter III of the Convention as amended in 1988 <sup>10</sup>
Actual provision
Radiotelegraph installation for lifeboat
Portable radio apparatus for survival craft
Survival craft EPIRB (121.5 MHz and 243.0 MHz)
Two-way radiotelephone apparatus
THIS IS TO CERTIFY that this Record is correct in all respects.
Issued at
(Place of issue of the Record)
(Date of issue) (Signature of duly authorized official issuing the Record)
(Seal or stamp of the issuing authority, as appropriate)
FORM OF SAFETY CONSTRUCTION CERTIFICATE FOR CARGO SHIPS
CARGO SHIP SAFETY CONSTRUCTION CERTIFICATE
(Official seal) (State)
Issued under the provisions of the
INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as modified by the Protocol of 1988 relating thereto
under the authority of the Government of

(name of the State)
by
(person or organization authorized)
Particulars of ships <sup>11</sup>
Name of ship
Distinctive number or letters
Port of registry
Gross tonnage
Deadweight of ship (metric tons) <sup>12</sup>
IMO Number <sup>13</sup>
Type of ship <sup>14</sup>
Oil tanker
Chemical tanker
Gas carrier
Cargo ship other than any of the above
Date on which keel was laid or ship was at a similar stage of construction or, where applicable, date on which work for a conversion or an alteration or modification of a major character was commenced
THIS IS TO CERTIFY:
1. That the ship has been surveyed in accordance with the requirements of regulation 1/10 of the Convention.
2. That the survey showed that the condition of the structure, machinery and equipment as defined in the above regulation was satisfactory and the ship complied with the relevant requirements of chapters II-1 and II-2 of the Convention (other than thos relating to fire safety systems and appliances and fire control plans).
3. That the last two inspections of the outside of the ships bottom took place
on and and
(dates)
4. That an Exemption Certificate has/has not <sup>15</sup> been issued.
This certificate is valid until
Issued at
(Place of issue of certificate)
(Date of issue) (Signature of duly authorized official issuing the Record)
(Seal or stamp of issuing authority, as appropriate)
ENDORSEMENT FOR ANNUAL AND INTERMEDIATE SURVEYS
THIS IS TO CERTIFY that at a survey required by regulation I/10 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
Annual survey:
Signed:
(Signature of authorized official)

Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Annual/Intermediate <sup>17</sup>	
Signed:	
(Signature of authorized official)	
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Annual/Intermediate <sup>18</sup>	
Signed:	
(Signature of authorized official)	
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Annual survey:	
Signed:	
(Signature of authorized official)	
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
	ANNUAL/INTERMEDIATE SURVEY IN ACCORDANCE WITH REGULATION I/14(h)(iii)
THIS IS TO CERTIFY that, at an annual/in	ntermediate 19 survey in accordance with regulation I/14(h)(iii) of the Convention, the ship was found to comply with the relevant requirements of the Convention.
Signed:	
(Signature of authorized official)	
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
	ENDORSEMENT FOR INSPECTIONS OF THE OUTSIDE OF THE SHIP BOTTOMS20
THIS IS TO CERTIFY that, at an inspection	on required by regulation I/10 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
First inspection:	
Signed:	
(Signature of authorized official)	
Place:	
Date:	

Second inspection:		
Signed:		
(Signature of authorized official)		
Place:		
Date:		
		(Seal or stamp of the authority, as appropriate)
Endorsement to extend the certificate if valid for less that	an 5 years where regulation I/14(c) applies	S
The ship complies with the relevant requirements of the Con	evention, and this certificate shall, in accordance	ance with regulation I/ I 4(c) of the Convention, be accepted as valid until
Signed:		
(Signature of authorized official)		
Place:		
Date:		
		(Seal or stamp of the authority, as appropriate)
Endorsement where the renewal survey has been compl	eted and regulation I/4(d) applies	
The ship complies with the relevant requirements of the Con	evention, and this certificate shall in accorda	nce with regulation I/14(d) of the Convention, be accepted as valid until
Signed:		
(Signature of authorized official)		
	Place:	
	Date:	
		(Seal or stamp of the authority, as appropriate)
Endorsement to extend the validity of the certificate until	I reaching the port of survey or a period	of grace where regulation I/14(e) or I/14(f) applies
This certificate shall, in accordance with regulation I/14(e) I/	14(f) <sup>21</sup> of the Convention, be accepted as v	alid until
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
		(Seal or stamp of the authority, as appropriate)
Endorsement for advancement of anniversary date when	e regulation I/14(h) applies	
In accordance with regulation I/14(h) of the Convention, the	new anniversary date is	
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
		(Seal or stamp of the authority, as appropriate)
In accordance with regulation I/14(h) of the Convention, the	new anniversary date is	
	Signed:	

	1 1860.
	Date:
	(Seal or stamp of the authority, as appropriate)
	FORM OF SAFETY EQUIPMENT CERTIFICATE FOR CARGO SHIPS
	CARGO SHIP SAFETY EQUIPMENT CERTIFICATE
	This Certificate shall be supplemented by a Record of Equipment (Form E)
	Issued under the provisions of the
	INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as modified by the Protocol of 1988 relating thereto
	under the authority of the Government of
	(name of State)
	by
	(person or organization authorized)
	Particulars of ship <sup>22</sup>
	Name of ship
	Distinctive number or letters
	Port of registry
	Gross tonnage
	Deadweight of ship (metric tons) <sup>23</sup>
	Length of ship (regulation III/3.10)
	IMO Number <sup>24</sup>
	Type of ship <sup>25</sup>
	Oil tanker
	Chemical tanker
	Gas carrier
	Cargo ship other than any of the above
of	Date on which keel was laid or ship was at a similar stage of construction or, where applicable, date on which work for a conversion or an alteration or modification a major character was commenced
	THIS IS TO CERTIFY:
	1. That the ship has been surveyed in accordance with the requirements of regulation 1/8 of the Convention.
	2. That the survey showed that:
	2.1 the ship complied with the requirements of the Convention as regards fire safety systems and appliances and fire control plans;
	2.2 the life-saving appliances and the equipment of lifeboats, liferafts and rescue boats were provided in accordance with the requirements of the Convention;
	2.3 the ship was provided with a line-throwing appliance and radio installations used in life-saving appliances in accordance with the requirements of the Convention;

2.4 the ship complied with the requirements of the Convention as regards shipborne navigational equipment, means of embarkation for pilots and nautical publications;

(Signature of authorized official)

(Official seal) (State)

2.5 the ship was provided with light	ghts, shapes, means of making sound signals and distress signals in accordance with the requirements of the Convention and the International Regulations for Preventing Collisions at Sea in force;
2.6 in all other respects the ship	complied with the relevant requirements of the Convention.
3. That the ship operates in acco	ordance with regulation III/26. 1.1.1 within the limits of the trade area
4. That an Exemption Certificate	has/has not <sup>26</sup> been issued.
This certificate is valid until	<sup>27</sup> subject to the annual and periodical surveys in accordance with regulation I/8 of the Convention.
Issued at	
(Place of issue of certificate )	
(Date of issue ) (Signature of aut	thorized official issuing the certificate)
	(Seal or stamp of the issuing authority, as appropriate)
	ENDORSEMENT FOR ANNUAL AND PERIODICAL SURVEYS
THIS IS TO CERTIFY that, at a	survey required by regulation I/8 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
Annual survey:	
Signed:	
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual/Periodical <sup>28</sup> survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual/Periodical <sup>29</sup> survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:

## ANNUAL/PERIODICAL SURVEY IN ACCORDANCE WITH REGULATION I/14(h)(iii)

THIS IS TO CERTIFY that, at an annual/periodical 30 survey in	accordance with regulation I/14(h)(iii) of the Conventions the ship was found to comply with the relevant requirements of the Convention.
Signed:	
(Signature of authorized office	ial)
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Endorsement to extend the certificate if valid for less than	years where regulation I/14(c) applies
The ship complies with the relevant requirements of the Conve	ntion, and this certificate shall, in accordance with regulation I/1 4(c) of the Convention, be accepted as valid until
Signed:	
(Signature of authorized office	ial)
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Endorsement where the renewal survey has been complete	d and regulation I/14(d) applies
The ship complies with the relevant requirements of the Conve	ntion, and this certificate shall, in accordance with regulation I/14(d) of the Convention, be accepted as valid until
Signed:	
(Signature of authorized office	ial)
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Endorsement to extend the validity of the certificate until re	aching the port of survey or for a period of grace where regulation I/14(e) or I/14(f) applies
This certificate shall. in accordance with regulation I/14(e)I/14(f	y <sup>31</sup> of the Convention, be accepted as valid until
Signed:	
(Signature of authorized office	ial)
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)
Endorsement for advancemet of anniversary dare where re-	gulation I/14(h) applies
In accordance with regulation I/14(h) of the Convention, the new	anniversary date is
Signed:	
(Signature of authorized office	ial)
Place:	
Date:	
	(Seal or stamp of the authority, as appropriate)

In accordance with regulation I/14(h) of the Convention, the new anniversary date is ......

Signed:
(Signature of authorized official)
Place:
Date:

## RECORD OF EQUIPMENT FOR THE CARGO SHIP SAFETY EQUIPMENT CERTIFICATE (FORM E)

This Record shall be permanently attached to the Cargo Ship Safely Equipment Certificate

## RECORD OF EQUIPMENT FOR COMPLIANCE WITH THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA. 1974, AS MOIDIFIED BY THE PROTOCOL OF 1988 RELATING THERETO

1. Particulars of ship
Name of ship
Distinctive number or letters
2. Details of life-saving appliances
1. Total number of persons for which life-saving appliances are provided
Port side Starboard side
2. Total number of persons accommodated by them
2.1 Total number of persons accommodated by them
2.2 Number of self-righting partially enclosed lifeboats (regulation 111/43)
2.3 Number of totally enclosed lifeboats (regulation III/44)
2.4 Number of lifeboats with a self-contained air support system (regulation III/45)
2.5 Number of fire-protected lifeboats (regulation III/46)
2.6 Other lifeboats
2.6.1 Number
2.6.2 Type
2.7 Number off freefall lifeboats
2.7.1 Totally enclosed (regulation III/44)
2.7.2 Self-contained (regulation III/45)
2.7.3 Fire-protected (regulation III/46)
3. Number of motor lifeboats (included in the total lifeboats shown above)
3.1 Number of lifeboats fitted with searchlights
4. Number of rescue boats
4.1 Number of boats which are included in the total lifeboats shown above
5. Liferafts
5.1 Those for which approved launching appliances are required
5.1 .1 Number of liferafts
5.1.2 Number of persons accommodated by them
5.2 Those for which approved launching appliances are not required

5.2.1 Number of liferafts	
5.2.2 Number of persons accommodated by them	
5.3 Number of liferafts required by regulation III/26.1.4	
6. Number of lifebuoys	
7. Number of lifejackets	
8. Immersion suits	
8.1 Total number	
8.2 Number of suits complying with the requirements for lifejackets	
9. Number of thermal protective aids <sup>32</sup>	
10. Radio installations used in life-saving appliances	
10.1 Number of radar transponders	
10.2 Number of two-way VHF radiotelephone apparatus	
3. Ships constructed before 1 February 1992 which do not fully comply with the applicable requirements of chapter III of the Convention as amended 1988 <sup>33</sup>	
Actual provision	
Radiotelegraph installation for lifeboat	
Portable radio apparatus for survival craft	
Survival craft EPIRB (121.5 MHz and 243.0 MHz)	
Two-way radiotelephone apparatus	
THIS IS TO CERTIFY that this Record is correct in all respects	
Issued at	
(Place of issue of the record)	
(Date of issue ) (Signature of duly authorized official issuing the Record)	
(Seal or stamp of the issuing authority, as appropriate)	
FORM OF SAFETY RADIO CERTIFICATE FOR CARGO SHIPS	
CARGO SHIP SAFETY RADIO CERTIFICATE	
This Certificate shall be supplemented by a Record of Equipment of Radio Facilities (Form R)	
	(Official seal) (State)
Issued under the provisions of the	
INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as modified by the Protocol of 1988 relating thereto	
under the authority of the Government of	
(name of the State)	
by	
(person or organization authorized)	
Particulars of ship <sup>34</sup>	
Name of ship	

Distinctive number or letters	
Port of registry	
Gross tonnage	
Sea areas in which ship is certified to op	erate (regulation IV/2)
IMO Number <sup>35</sup>	
Date on which keel was laid or ship was	at a similar stage of construction or, where applicable, date on which work for a conversion or an alteration or modification of a major character was commenced
THIS IS TO CERTIFY:	
1. That the ship has been surveyed in ac	cordance with the requirements of regulation 1/9 of the Convention.
2. That the survey showed that:	
2.1 the ship complied with the requirement	nts of the Convention as regards radio installations;
2.2 the functioning of the radio installation	ns used in life-saving appliances complied with the requirements of the Convention;
3. That an Exemption Certificate has/has	s not <sup>36</sup> been issued.
This certificate is valid until	
Issued at	
(Place of issue of certificate)	
(Date of issue ) (Signature of authorized	official issuing the certificate)
	(Seal or stamp of the issuing authority, as appropriate)
	ENDORSEMENT FOR PERIODICAL SURVEYS
THIS IS TO CERTIFY that, at a survey r	required by regulation I/9 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
Periodical survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Periodical survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Periodical survey:	
	Signed:
	(Signature of authorized official)

	Disco
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Periodical survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
	PERIODICAL SURVEY IN ACCORDANCE WITH REGULATION I/14(h)(iii)
THIS IS TO CERTIFY that, at a	a periodical survey in accordance with regulation I/14(h)(iii) of the Convention, the ship was found to comply with the relevant requirements of the Convention.
The terror of the section of the sec	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Endorsement to extend the co	ertificate if valid for less than 5 years where regulation I/14(c) applies
The ship complies with the rele	evant requirements of the Convention, and this certificate shall, in accordance with regulation I/ I 4(c) of the Convention, be accepted as valid until
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Endorsement where the rener	wal survey has been completed and regulation I/I4(d) applies
The ship complies with the rele	evant requirements of the Convention, and this certificate shall, in accordance with regulation I/14(d) of the Convention, be accepted as valid until
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Forderson and to contained the con-	
	alidity of the certificate until reaching the port of survey or for a period of grace where regulation I/14(e) orI/14 (f) applies
i nis certificate shall, in accorda	ance with regulation I/14(e)/I/14(f)37 of the Convention, be accepted as valid until
	Signed:
	(Signature of authorized official)
	Place:

(Seal or stamp of the authority, as appropriate) Endorsement for advancement of anniversary date where regulation I/14(h) applies In accordance with regulation I/14(h) of the Convention, the new anniversary date is ...... Signed: ..... (Signature of authorized official) Place: (Seal or stamp of the authority, as appropriate) In accordance which regulation I/14(h) of the Convention, the new anniversary date is Signed: ..... (Signature of authorized official) Place: ..... Date: ..... (Seal or stamp of the authority, as appropriate) RECORD OF EQUIPMENT FOR THE CARGO SHIP SAFETY RADIO CERTIFICATE (FORM R) This Record shall be permanently attached to the Cargo Ship Safety Radio Certificate RECORD OF EQUIPMENT OF RADIO FACILITIES FOR COMPLIANCE WITH THE INTERNATIONAL CONVENTION F OR THE SAFETY OF LIFE AT SEA, 1974, AS MODIFIED BY THE PROTOCOL OF 1988 RELATING THERETO 1. Particulars of ship Name of ship ..... Distinctive number or letters Minimum number of persons with required qualifications to operate the radio installations ..... 2. Details of radio facilities Item Actual provision 1. Primary systems ..... 1.1 VHF radio installation ..... 1.1.1 DSC encoder ..... 1.1.2 DSC watch receiver ..... 1.1.3 Radiotelephony ..... 1.2 MF radio installation ..... 1.2.1 DSC encoder ..... 1.2.2 DSC watch receiver ..... 1.2.3 Radiotelephony ..... 1.3 MF/HF radio installation ..... 1.3.1 DSC encoder ..... 1.3.2 DSC watch receiver .....

1.3.3 Radiotelephony .....

1.3.4 Direct-printing telegraphy
1.4 INMARSAT ship earth station
2. Secondary means of alerting
3. Facilities for reception of maritime safety information
3.1 NAVTEX receiver
3.2 EGC receiver
3.3 HF direct-printing radiotelegraph receiver
4. Satellite EPIRB
4.1 COSPAS-SARSAT
4.2 INMARSAT
5. VHF EPIRB
6. Ship's radar transponder
7. Radiotelephone distress frequency watch receiver on 2,182 kHz <sup>39</sup>
8. Device for generating the radiotelephone alarm signal on 2,182 kHz <sup>40</sup>
3. Methods used to ensure availability of radio facilities (regulations IV/15.6 and 15.7)
3.1 Duplication of equipment
3.2 Shore-based maintenance
3.3 At-sea maintenance capability
4. Ships constructed before 1 February 1995 which do not comply with all the applicable requirements of chapter IV of the Convention as amended in 1988
4.1 For ships required to be fitted with radiotelegraphy in accordance with the Convention in force prior to 1 February 1992.
Requirements of regulations Actual provision
Hours of listening by operator
Number of operators
Whether auto alarm fitted
Whether main installation fitted
Whether reserve installation fitted
Whether main and reserve transmitters electrically separated or combined
4.2 For ships required to be fitted with radiotelephony in accordance with the Convention in force prior to 1 February 1992.
Requirements of regulations Actual provision
Hours of listening
Number of operators
THIS IS TO CERTIFY that this Record is correct in all respects
Issued at
(Place of issue of the Record)
(Date of issue) (Signature of duly authorized official issuing the Record)

## FORM OF SAFETY CERTIFICATE FOR CARGO SHIPS

### CARGO SHIP SAFETY CERTIFICATE

This Certificate shall be supplemented by a Record of Equipment (Form C)

Issued under the provisions of the INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as modified by the Protocol of 1988 relating thereto

(Official seal) (State)

under the authority of the Government of	
(name of State)	
by	
(person or organization authorized)	
Particulars of ship <sup>42</sup>	
Name of ship	
Distinctive number or letters	
Port of registry	
Gross tonnage	
Deadweight of ship (metric tons) <sup>43</sup>	
Length of ship (regulation III/3.10)	
Sea areas in which ship is certified to oper	e (regulation IV/2)
IMO Number <sup>44</sup>	
Type of ship <sup>45</sup>	
Oil tanker	
Chemical tanker	
Gas carrier	
Cargo ship other than any of the above	
Date on which keel was laid or ship was at	similar stage of construction or, where applicable, date on which work for an alteration or modification of a major character was commenced
THIS IS TO CERTIFY:	
1. That the ship has been surveyed in acc	dance with the requirements of regulations I/8, I/9 and I/10 of the Convention.
2. That the survey showed that:	
2.1 the condition of the structure, machin systems and appliances and fire control plans	ry and equipment as defined in regulation I/10 was satisfactory and the ship complied with the relevant requirements of chapter II-1 and chapter II-2 of the Convention (other than those relating to fire safety
2.2 That the last two inspections of the our	ide of the ship's bottom took place on and
(dates)	
2.3 the ship complied with the requirement	of the Convention as regards fire safety systems and appliances and fire control plans;
2.4 the life-saving appliances and the equi	ment of the lifeboats, liferafts and rescue boats were provided in accordance with the requirements of the Convention;
2.5 the ship was provided with a line-throw	g appliance and radio installations used in life-saving appliances in accordance with the requirements of the Convention;

2.6 the ship complied with the requirements of the Convention as regards radio installations;

2.7 the functioning of the radio installation u	sed in life-saving appliances complied with the requirements of the Convention;
2.8 the ship complied with the requirements	of the Convention as regards shipborne navigational equipment, means of embarkation for pilots and nautical publications;
2.9 the ship was provided with lights, shape	es, means of making sound signals and distress signals in accordance with the requirements of the Convention and the International Regulations for Preventing Collisions at Sea in force;
2.10 in all other respects, the ship compiled	with the relevant requirements of the Convention.
3. That the ship operates in accordance with	h regulation III/26.1.1.1. within the limits of the trade area
4. That an Exemption Certificate has/has no	ot45 been issued.
This certificate is valid until	
Issued at	(Place of issue of certificate )
(Date of issue ) (Signature of authorized offi (Seal or stamp of the issuing authority, as appr	
ENDORSEME	ENT FOR ANNUAL AND INTERMEDIATE SURVEYS RELATING TO STRUCTURE, MACHINERY AND EQUIPMENT REFERRED TO IN PARAGRAPH 2.1 OF THIS CERTIFICATE
THIS IS TO CERTIFY that, at a survey requ	uired by regulation I/10 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
Annual survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual/Intermediate <sup>48</sup>	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual/Intermediate <sup>49</sup>	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual survey:	
	Signed:
	(Signature of authorized official)
	Place:

Date: .....

## ANNUAL/INTERMEDIATE SURVEY IN ACCORDANCE WITH REGULATION I/14(h)(iii)

THIS IS TO CERTIFY that, at an annual/interme	ediate <sup>50</sup> survey in accordance with regulations I/10 and I/14(h)(iii) of the Convention, the ship was found to comply with the relevant requirements of the Convention.
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
	ENDORSEMENT FOR INSPECTIONS OF THE OUTSIDE OF THE SHIP'S BOTTOM50
THIS IS TO CERTIFY that, at an inspection req	uired by regulation I/10 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
First inspection:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Second inspection:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
ENDORSEMENT FOR ANNUAL	AND PERIODICAL SURVEYS RELATING TO LIFE-SAVING APPLIANCES AND OTHER EQUIPMENT REFERRED TO IN PARAGRAPHS 2.3, 2.4, 2.5, 2.8 AND 2.9 OF THIS CERTIFICATION
THIS IS TO CERTIFY that, at a survey required	by regulation I/8 of the Convention, the ship was found to comply with the relevant requirements of the Convention.
Annual survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Annual/Periodical <sup>52</sup>	
	Signed:
	(Signature of authorized official)
	Place:
	Date:

(Seal or stamp of the authority, as appropriate)

Annual/Periodical <sup>53</sup>		
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
	(Seal o	or stamp of the authority, as appropriate)
Annual survey:		
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
	(Seal o	or stamp of the authority, as appropriate)
	ANNUAL/PERIODICAL S	URVEY IN ACCORDANCE WITH REGULATION I/14(h)(iii)
THIS IS TO CERTIFY that, at an annual/periodical <sup>54</sup>	survey in accordance with regulations I/8 and I/14(h) (iii) c	of the Convention, the ship was found to comply with the relevant requirements of the Convention.
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
	(Seal o	or stamp of the authority, as appropriate)
ENDOR	SEMENT FOR PERIODICAL SURVEYS RELATING TO I	RADIO INSTALLATIONS REFERRED TO IN PARAGRAPHS 2.6 AND 2.7 OF THIS CERTIFICATE
THIS IS TO CERTIFY that, at a survey required by re	gulation I/9 of the Convention, the ship was found to com	ply with the relevant requirements of the Convention.
Periodical survey:		
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
	(Seal o	or stamp of the authority, as appropriate)
Periodical survey:		
	Signed:	
	(Signature of authorized official)	
	Place:	
	Date:	
	(Seal o	or stamp of the authority, as appropriate)
Periodical survey:		
	Signed:	
	(Signature of authorized official)	

	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Periodical survey:	
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
	PERIODICAL SURVEY IN ACCORDANCE WITH REGULATION I/14(h)(iii)
THIS IS TO CERTIFY that, at a periodical s	survey in accordance with regulations I/9 and I/14(h)(iii) of the Conventions the ship was found to comply with the relevant requirements of the Convention.
	Signed:
	(Signature of authorized official)
	Place:
	Date:
	(Seal or stamp of the authority, as appropriate)
Endorsement to extend the Certificate if v	valid for less than 5 years regulation I/14(c) applies
The ship complies with the relevant requiren	nents of the Convention, and this certificate shall, in accordance with regulation I/ 14(c) of the Convention, be accepted as valid until
Signed:	
(Signature of authorized official)	
Place:	
Date: (	Seal or stamp of the authority, as appropriate)
Endorsement where the renewal survey h	as been completed and regulation I/14(d) applies
The ship complies with the relevant requiren	nents of the Convention, and this certificate shall in accordance with regulation I/14(d) of the Convention, be accepted as valid until
Signed:	
(Signature of authorized official)	
Place:	
Date: (	Seal or stamp of the authority, as appropriate)
Endorsement to extend file validity of the	certificate until reaching the port of survey or for a period of grace where regulation I/14(e) or I/14(f) applies
This certificate shall, in accordance with reg	ulation I/14(e)/I/14(f) <sup>55</sup> of the Convention, be accepted as valid until
Signed:	
(Signature of authorized official)	
Place:	
Date: (	Seal or stamp of the authority, as appropriate)
Endorsement for advancement of anniver	rsary date where regulation I/14(h) applies
In accordance with regulation I/14(h) of the 0	Convention, the new anniversary date is

Signed:
(Signature of authorized official)
Place:
Date:
In accordance with regulation I/14 (h) of the Convention, the new anniversary date is
Signed:
(Signature of authorized official)
Place:
Date:
RECORD OF EQUIPMENT FOR THE CARGO SHIP SAFETY CERTIFICATE (FORM C)
This Record shall be permanently attached to the Cargo Ship Safety Certificate
RECORD OF EQUIPMENT FOR COMPLIANCE WITH THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS MODIFIED BY THE PROTOCOL OF 1988 RELATING THERETO
1. Particulars of ship
Name of ship
Distinctive number or letters
Minimum number of persons with required qualifications to operate the radio installations
2. Details of life-saving appliances
1. Total number of persons for which life-saving appliances are provided
Port side Starboard side
2. Total number of lifeboats
2.1 Total number of persons accommodated by them
2.2 Number of self-righting partially enclosed lifeboats (regulation III/43)
2.3 Number of totally enclosed lifeboats (regulation III/44)
2.4 Number of lifeboats with a self-contained air support system (regulation III/45)
2.5 Number of fire-protected lifeboats (regulation III/46)
2.6 Other lifeboats
2.6.1 Number
2.6.2 Type
2.7 Number of freefall lifeboats
2.7.1 Totally enclosed (regulation III/44)
2.7.2 Self-contained (regulation III/45)
2.7.3 Fire-protected (regulation III/46)
3. Number of motor lifeboats included in the total lifeboats shown above
3.1 Number of lifeboats fitted with searchlights
4. Number of rescue boats
4. 1 Number of boats which are included in the total lifeboats shown above

5. Liferafts
5.1 Those for which approved launching appliances are required
5.1.1 Number of liferafts
5.1.2 Number of persons accommodated by them
5.2 Those for which approved launching appliances are not required
5.2.1 Number of liferafts
5.2.2 Number of persons accommodated by them
5.3 Number of liferafts required by regulation III/26.1.4
6. Number of lifebuoys
7. Number of lifejackets
8. Immersion suits
8.1 Total number
8.2 Number of suits complying with the requirements for lifejackets
9. Number of thermal protective aids55
Radio installations used in life-saving appliances
10.1 Number of radar transponders
10.2 Number of two-way VHF radiotelephone apparatus
3. Details of radio facilities
Item Actual provision
Item Actual provision  1. Primary systems
·
1. Primary systems
1. Primary systems  1.1 VHF radio installation
1. Primary systems

.2 EGC receiver	
3.3 HF direct-printing radiotelegraph receiver	
. Satellite EPIRB	
.1 COSPAS/SARSAT	
.2 INMARSAT	
5. VHF EPIRB	
Ship's radar transponder	
Radiotelephone distress frequency watch receiver on 2,182 kHz <sup>57</sup>	
B. Device for generating the radiotelephone alarm signal on 2,182 kHz <sup>58</sup>	
Methods used to ensure availability of radio facilities (regulations IV/15.6 and 15.7)	
.1 Duplication equipment	
.2 Shore-based maintenance	
.3 At-sea maintenance capability	
i. Ships constructed before 1 February 1995 which do not comply with all the applicable requirements of chapter IV of the Convention a	s amended in 1988 <sup>59</sup>
1.1 For ships required to be fined with radiotelegraphy in accordance with the Convention in force prior to 1 February 1992	
Requirements of regulations Actual provision	
dours of listening by operator	
lumber of operators	
Vhether auto alarm fitted	
Vhether main installation fitted	
Vhether reserve installation fitted	
Whether main and reserve transmitters	
electrically separated or combined	
2.2 For ships required to be fitted with radiotelephony in accordance with the Convention in force prior to 1 February 1992	
Requirements of regulations Actual provision	
dours of listening	
lumber of operators	
6. Ships constructed before 1 February 1992 which do not fully comply with the applicable requirements of chapter III of the Convention	as amended in 1988 <sup>60</sup>
Actual provision	
Radiotelegraph installation for lifeboat	
Portable radio apparatus for survival craft	
Survival craft EPIRB (121.5 MHz and 243.0 MHz)	
wo-way radiotelephone apparatus	
THIS IS TO CERTIFY that this Record is correct in all respects	
requed et	

(Place of issue of the Record)		
(Date of insura VO) makes of the authorized official invitation to Danes.)		
(Date of issue ) (Signature of duly authorized official issuing the Record)		
(Sec	eal or stamp of the issuing authority, as appropriate)	
	FORM OF EXEMPTION CERTIFICATE	
	EXEMPTION CERTIFICATE	
		(Official seal) (State
Issued under the provisions of the INTERNATIONAL CONV	VENTION FOR THE SAFETY OF LIFE AT SEA, 1974, as modified by the Protocol of 1988 relating	thereto
under the authority of the Government of		
by		
(person or organization authorized)		
Particulars of ship <sup>61</sup>		
Name of ship		
Distinctive number of letters		
Port of registry		
Gross tonnage		
IMO Number <sup>62</sup>		
THIS IS TO CERTIFY: That the ship is, under the authority conferred by regulation of the Convention, exempted fror	mm the requirements of	of the Convention
Conditions, if any, on which the Exemption Certificate is granted:	III die requirements of	of the convention.
Conditions, if any, on which the Exemption Certificate is granted.		
Voyages, if any, on which the Extemption Certificate is granted:		
This certificate is valid until subject to the		ng valid.
Issued at		
(Place of issue of the Record)		
(Date of issue ) (Signature of duly authorized official issuing the certificate)		
(Sea	eal or stamp of the issuing authority, as appropriate)	
Endorsement to extend the certificate if valid for less than 5 years where regulation I/14(c) applies	ŝ	
This certificate shall, in accordance with regulation I/14(c) of the Convention, be accepted as valid until .		ned, remaining valid.
Signed:		

(Signature of authorized official)
Place: .....

	Date:			
	(Seal or stamp	o of the authority, as appropriate)		
Endorsement to extent certificate if valid	for less than 5 years where regulation I/14(d) applies			
This certificate shall, in accordance with re	gulation I/14(d) of the Convention, be accepted as valid until	subject to the	Certificate, to which this certificate is attached	ed, remaining valid.
	Signed:			
	(Signature of authorized official)			
	Place:			
	Date:			
Endorsement to extent the validity of the a	(Seal or stamp ertificate until reaching the port of survey or for a period of grace where regu	o of the authority, as appropriate)		
•	egulation I/14(e) or I/14(f) $^{63}$ of the Convention, be accepted as valid until	., ., .,	subject to the	Certificate, to which this
	Signed:			
	(Signature of authorized official)			
	Place:			
	Date:			
	(Seal or stamp	o of the authority, as appropriate)		
* Signatures omitted.				
<sup>1</sup> Delete as appropriate.				
<sup>2</sup> Altenatively, the particulars of the ship m				
	IMO Ship Identification Number Scheme, this information may be included	voluntarily.		
<sup>4</sup> Delete as appropriate.				
<sup>5</sup> Delete as appropriate.				
<sup>6</sup> Excluding those required by regulations II	II/38.5.I.24, III/41.8.31 and III/47.2.2.13.			
<sup>7</sup> Unless another date is determined by the	maritime Safety Committee, this item need not be reproduced on the record	d attached to certificates issued after 1 F	ebruary 1999.	
<sup>8</sup> This item need not be reproduced on the	record attached to certificates issued after 1 February 1999.			
<sup>9</sup> This section need not be reproduced on t	he record attached to certificates issued after 1 February 1999.			
<sup>10</sup> This section need not be reproduced on	the record attached to certificates issued after 1 February 1995.			
<sup>11</sup> Alternatively, the particulars of the ship	may be placed horizontally in boxes.			
<sup>12</sup> For oil tankers, chemical tankers and ga	as carriers only.			
<sup>13</sup> In accordance with resolution A.600(15)	- IMO Ship Identification Number Scheme, this information may be included	voluntarily .		
<sup>14</sup> Delete as appropriate.				

<sup>15</sup> Delete as appropriate.

<sup>16</sup> Insert the date of expiry as specified by the Administration in accordance with regulation I/14(a) of the Convention. The day and the month of this date correspond to the anniversary date as defined in regulation I/2(n) of the Convention, unless amended in accordance with regulation I/14(h).
<sup>17</sup> Delete as appropriate.
<sup>18</sup> Delete as appropriate.
<sup>19</sup> Delete as appropriate.
<sup>20</sup> Provision may be made for additional inspections.
<sup>21</sup> Delete as appropriate.
<sup>22</sup> Alternatively, the particulars of the ship may be placed horizontally in boxes.
<sup>23</sup> For oil tankers, chemical tankers and gas carriers only.
<sup>24</sup> In accordance with resolution A.600(15)-IMO Ship Identification Number Scheme, this information may be included voluntarily
<sup>25</sup> Delete as appropriate.
<sup>26</sup> Delete as appropriate.
<sup>27</sup> Insert the date of expiry as specified by the Administration in accordance with regulation I/14(a) of the Convention. The day and the month of this date correspond to the anniversary date as defined in regulation I/2(n) of the Convention, unless amended in accordance with regulation I/14(h).
<sup>28</sup> Delete as appropriate.
<sup>29</sup> Delete as appropriate.
<sup>30</sup> Delete as appropriate.
<sup>31</sup> Delete as appropriate.
<sup>32</sup> Excluding those required by regulations III/38.5.1.24, III/41.8.31 and III/47.2.2.13.
<sup>33</sup> This section need not be reproduced on the record attached to certificates issued after 1 February 1995.
<sup>34</sup> Alternatively, the particulars of the ship may be placed horizontally in boxes.
<sup>35</sup> In accordance with resolution A.600(.15)-IMO Ship Identification Number Scheme, this information may be included voluntarily.
<sup>36</sup> Delete as appropriate.
<sup>37</sup> Insert the date of expiry as specified by the Administration in accordance with regulation I/14(a) of the Convention. The day and the month of this date correspond to the anniversary date as defined in regulation I/2(n) of the Convention, unless amended in accordance with regulation I/14(h).
<sup>38</sup> Delete as appropriate.
<sup>39</sup> Unless another date is determined by the Maritime Safety Committee, this item need not be reproduced on the record attached to certificates issued after 1 February 1999.
<sup>40</sup> This item need not be reproduced on the record attached to certificates issued after 1 February 1999.
<sup>41</sup> This section need not be reproduced on the record attached to certificates issued after 1 February 1999.
<sup>42</sup> Alternatively, the particulars of the ship may be placed horizontally in boxes.
<sup>43</sup> For oil tankers, chemical tankers and gas carriers only.
<sup>44</sup> In accordance with resolution A.600(15)-IMO Ship Identification Number Scheme, this information may be included voluntarily.
<sup>45</sup> Delete as appropriate.

	<sup>46</sup> Delete as appropriate.
in	<sup>47</sup> Insert the date of expiry as specified by the Administration in accordance with regulation I/14(a) of the Convention. The day and the month of this date correspond to the anniversary date as defined in regulation I/2(n) of the Convention, unless amended accordance with regulation I/14 (h).

- <sup>48</sup> Delete as appropriate.
- <sup>49</sup> Delete as appropriate.
- <sup>50</sup> Delete as appropriate.
- <sup>51</sup> Provision may be made for additional inspections.
- <sup>52</sup> Delete as appropriate.
- <sup>53</sup> Delete as appropriate.
- <sup>54</sup> Delete as appropriate.
- <sup>55</sup> Delete as appropriate.
- $^{56}$  Excluding those required by regulations III/38.5.1.24. III/4I.8.31 and III/47.2.2.13.
- 57 Unless another date is determined by the Maritime Safety Committee, this item need not be reproduced on the record attached to certificates issued after 1 February 1999.
- <sup>58</sup> This item need not be reproduced on the record attached to certificates issued after 1 February 1999.
- <sup>59</sup> This section need not be reproduced on the record attached to certificates issued after 1 February 1999.
- <sup>60</sup> This section need not be reproduced on the record attached to certificates issued after 1 February 1995.
- <sup>61</sup> Alternatively, the particulars of the ship may be placed horizontally in boxes.
- 62 In accordance with resolution A.600(H)(15)-IMO Ship Identification Number Scheme, this information may be included voluntarily.
- <sup>63</sup> Delete as appropriate.

© Oficiālais izdevējs "Latvijas Vēstnesis"